

**MATERIAL SAFETY DATA SHEET: C802****1. PRODUCT INFORMATION:**

<b>PRODUCT NAME: C802</b>	<b>PRODUCT USE:</b> System cleaner
<b>MANUFACTURER/SUPPLIER:</b> Vedra Industries, 6295 Northam Dr., Unit 16, Mississauga, Ontario, Canada L4V-1W8	<b>EMERGENCY TELEPHONE NUMBER:</b> CANUTEC 613-996-6666.

**2. PREPARATION INFORMATION:**

<b>MSDS PREPARED BY:</b> Vedra Industries	<b>DATE PREPARED:</b> Oct. 25, 2005 (M/D/Y)
<b>TELEPHONE:</b> (877) 211-6727	<b>SUPERSEDES:</b>

**3. HAZARDOUS INGREDIENTS**

INGREDIENT	CHEMICAL NAME	CAS REGISTRY NO.	% BY WT.
1	Acetic acid	64-19-7	2.0- 8.0
2	Propionic acid	79-09-4	4.0- 10.0

INGREDIENT	ACUTE ORAL LD50 (mg/kg)	ACUTE DERMAL LD50 (mg/kg)	ACUTE INHALATION LC50 (ppm)	TLV
1	3530 mg/kg (rat)	Not available	2810 mg/kg (mouse)	10 mg/L
2	2600 mg/kg (rat)	500 mg/kg (mouse)	Not available	10 mg/L

The balance of the components are not hazardous according to WHMIS classifications and are not listed on the Ingredient Disclosure List.

**4. PHYSICAL DATA:**

<b>APPEARANCE:</b> Clear, light amber	<b>PHYSICAL STATE:</b> Liquid	<b>ODOUR:</b> Vinegar-like, pungent acidic	<b>ODOUR THRESHOLD:</b> Not determined
<b>DENSITY (g/ml @ 25°C):</b> 1.05	<b>EVAPORATION RATE:</b> 1 (water = 1.0)	<b>VAPOUR DENSITY:</b> Not tested	<b>VAPOUR PRESSURE:</b> Not tested
<b>pH (neat):</b> 3.0 – 4.0	<b>pH (1000 ppm in water)</b> Not tested	<b>BOILING POINT:</b> > 100°C	<b>FREEZING /MELTING POINT: 0 °C</b>
<b>OIL/WATER PARTITION COEFFICIENT:</b> Not tested		<b>SOLUBILITY:</b> Completely soluble in water	

**5. FIRE AND EXPLOSION HAZARDS:**

<b>FLASH POINT &amp; METHOD:</b> None below 100 °C (PMCC)	<b>AUTO-IGNITION TEMPERATURE:</b> Not determined
<b>UPPER FLAMMABLE LIMIT (% vol. in air):</b> Not determined	<b>LOWER FLAMMABLE LIMIT (% vol. in air):</b> Not determined
<b>FLAMMABILITY CONDITIONS:</b> Liquid can burn upon heating to temperatures at or above the flash point.	<b>HAZARDOUS COMBUSTION PRODUCTS:</b> None known.
<b>EXTINGUISHING MEDIA:</b> Use water spray to cool fire-exposed surfaces and to protect personnel. Water fog, carbon dioxide, foam or dry chemical may be used to extinguish fire.	<b>SPECIAL FIRE FIGHTING PROCEDURES:</b> Wear NIOSH approved self-contained breathing apparatus (such as "Scott Air-Pak") , and full protective gear. Isolate "fuel" supply from fire.
<b>EXPLOSION (Sensitivity to Mechanical Impact):</b> Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid pressurizing, cutting, welding, brazing, soldering, drilling, or grinding the container.	<b>EXPLOSION (Sensitivity to Static Discharge):</b> Empty containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid exposing such containers to heat, flame, sparks, static electricity or other sources of ignition.

**6. REACTIVITY:**

<b>CHEMICAL STABILITY:</b> Stable under normal conditions of use and storage.	<b>CONDITIONS OF UNSTABILITY:</b> None Known.
<b>INCOMPATIBILITY WITH OTHER SUBSTANCES:</b> Strong acids, strong bases, strong oxidizers, and reducing agents.	<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b> None known.

**7. TOXICOLOGICAL DATA:****PRIMARY ROUTES OF EXPOSURE:**

<b>EYES: Yes</b>	<b>SKIN: Yes</b>	<b>INHALATION: Yes</b>	<b>INGESTION: Not Expected</b>
------------------	------------------	------------------------	--------------------------------

**EFFECTS FROM ACUTE EXPOSURE:**

Eye exposure:	Corrosive. Inflammation of the eye is characterized by redness, watering, and itching.
Skin exposure:	Corrosive. Skin contact may produce burns. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.
Inhalation:	Hazardous in case of inhalation. Effects will depend on concentration and length of time of exposure.
Ingestion:	Ingestion is not expected to be a primary route of exposure.

**EFFECTS FROM CHRONIC EXPOSURE:**

The effects from chronic exposure to this product have not been fully evaluated.

**ACUTE EFFECTS (Exposure Limits):**

<b>Acute Oral LD50:</b>	Expected to be moderately toxic.
<b>Acute Dermal LD50:</b>	Expected to be moderately toxic.
<b>Acute Inhalation LC50:</b>	Expected to be moderately toxic.
<b>IRRITANT EFFECTS:</b>	Corrosive to the eyes and skin.
<b>SENSITIZATION EFFECTS:</b>	Sensitization is rare, but has been reported in some hypersensitive individuals.

<b>CARCINOGENIC POTENTIAL:</b>	Not listed in any of OSHA Standards Section 1910.1200 sources as carcinogenic.
<b>REPRODUCTIVE TOXICITY:</b>	None known.
<b>TERATOGENICITY:</b>	None known.
<b>MUTAGENICITY:</b>	None known.
<b>SYNERGISTIC EFFECTS:</b>	None known.

## 8. PERSONAL PROTECTION EQUIPMENT:

**Hands:** Chemical resistant gloves required; chemically impermeable gloves recommended.

**Eyes:** Chemical-proof goggles required, face shield recommended.

**Respiratory:** If misting can occur, a NIOSH approved respirator is recommended.

**Body Protective Clothing:** Chemical resistant coverall such as a TYVEC suit is required.

**Footwear:** Steel-toed chemical resistant boots recommended.

**Other:** An emergency shower complete with eyewash fountain is strongly recommended.

### ENGINEERING CONTROLS:

General mechanical ventilation system is adequate. However, local exhaust system is preferred to maintain airborne concentrations below the recommended occupational exposure limits, whenever misting conditions are present or the material is used in a confined space.

### LEAK AND SPILL PROCEDURES:

Before responding to a spill or leak of this product, review each section of this MSDS. Follow the recommendations given in the "Handling Procedures and Equipment" section. Check the "Fire and Explosion Hazards" section to determine if the use of non-sparking tools is merited. Insure that spilled or leaked product does not come into contact with materials listed as incompatible. If irritating fumes are present, consider evacuation of affected areas. Initially minimize area affected by the spill or leak. Block any potential routes to water systems. Place in a properly labeled container for later disposal. Larger spills may require a vacuum.

### WASTE DISPOSAL METHODS:

Disposal shall be in accordance with all applicable federal, provincial and municipal waste regulations.

### HANDLING PROCEDURES AND EQUIPMENT:

Do not handle unless the safety precautions have been read and understood. Avoid skin and eye contact. Avoid inhalation of dust or vapours. Do not puncture, drag or slide containers. Do not smoke in any chemical handling or storage area. Wash hands before eating.

### STORAGE REQUIREMENTS:

Store in a dry well-ventilated location. Protect from freezing. Keep containers tightly closed. Store away from incompatible materials and ignition sources

### SPECIAL SHIPPING INFORMATION:

Refer to Section 10: T.D.G. Classification

**9. FIRST AID MEASURES:****EYE EXPOSURE:**

Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for at least 20-30 minutes, by the clock, while holding the eyelid(s) open. Neutral saline solution may be used as soon as it is available. **DO NOT INTERRUPT FLUSHING.** If necessary, keep emergency vehicle waiting. Take care not to rinse contaminated water into the unaffected eye or unto face. If irritation persists, repeat flushing. Quickly transport victim to an emergency care facility.

**SKIN EXPOSURE:**

As quickly as possible, flush with lukewarm, gently flowing water for at least 20 - 30 minutes or until the chemical is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands, belts). If irritation persists, repeat flushing. Obtain medical advice immediately. Completely decontaminate clothing, shoes and leather goods before reuse or discard.

**INHALATION:**

Use proper respiratory protection to immediately move exposed individual to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. If breathing is stopped, trained personnel should begin artificial respiration (AR) or, if the heart has stopped, cardiopulmonary resuscitation (CPR) immediately. Avoid mouth-to-mouth contact by using mouth guards or shields. Immediately transport victim to an emergency care facility.

**INGESTION:**

NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Have victim rinse mouth thoroughly with water. **DO NOT INDUCE VOMITING.** Have victim drink 240 to 300 ml (8 to 10 oz.) of water to dilute material in stomach. If milk is available, it may be administered AFTER the water has been given. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Repeat administration of water. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. Quickly transport victim to an emergency care facility.

**10. REGULATORY CLASSIFICATIONS:**

**TDG CLASSIFICATION:** CORROSIVE LIQUIDS, ACIDIC, ORGANIC, N.O.S. [Propionic acid], [Acetic acid]. Class 8 UN 3265 PG III

**Pest Control Products Act: REGISTRATION NUMBER:** Not applicable.

**U.S. FDA REGULATIONS: FDA (21 CFR) Section(s):**

Not available

**WHMIS CLASSIFICATION:**

Class D; Division 2B (eye and skin irritant)

**DOMESTIC SUBSTANCES LIST (DSL):**

All Components are listed on the DSL or otherwise comply with the Canadian Environmental Protection Act (CEPA) new substance notification requirements.

**HAZARD RATING:**

RATING	HEALTH	FLAMMABILITY	REACTIVITY
<b>WHMIS</b>	<b>3</b>	<b>1</b>	<b>1</b>
<b>NFPA</b>	<b>3</b>	<b>1</b>	<b>1</b>

While the information and recommendations set forth are believed to be accurate as of the date of the Material Safety Data Sheet, Vedra Industries makes no warranty with respect thereto and disclaims all liability from reliance thereon. Vedra Industries urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with the product. To promote the safe use and handling of this product, each customer or recipient should distribute this MSDS to the product users.

Issued by Laboratory Services, Vedra Industries, 6295 Northam Dr., Unit 16,  
Mississauga, Ontario, Canada L4V-1W8